

MAUVE ACCESSIBILITY EVALUATION REPORT



GUIDELINE SET: set composed of one or more guidelines.

GUIDELINE: it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

CRITERION: it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

CHECKPOINT: consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".





BASE URL	https://www.viacqua.it/
CRAWLING PARAMETERS	
Number of pages	50
Depth	10
NUMBER OF EVALUATED WEB PAGES	50
EVALUATION DATE	29 mar 2023
EVALUATION TIME	15:52:

MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

94%



MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

78%



TOTAL ERRORS

We compute the number of erroneus checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

17 TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

4234 TOTAL ERROR OCCURRENCIES FOUND

84 AVERAGE ERROR OCCURENCIES PER PAGE

TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

20306 TOTAL WARNINGS OCCURENCIES FOUND

406 AVERAGE WARNING OCCURENCIES PER PAGE


MOST ERRONEUS PAGES

We compute a rank of the most erroneus pages of the website, according to the occurrences of errors found in each evaluated page.

- $\textbf{1.} \quad \text{https://www.viacqua.it/it/clienti/fognatura-e-depurazione/planimetria-fognatura-e-depurazi$
- 2. https://www.viacqua.it/it/clienti/consumi-e-contatori/problemi-al-contatore
- 3. https://www.viacqua.it/it/clienti/consumi-e-contatori/consumi



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/planimetri




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/planimetri




E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/planimetri




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	7
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/problemi-al-co



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/problemi-al-co




E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/problemi-al-co




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/consumi



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	108




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/consumi



E/W	Errors	No. of occurrences
	ARIA	
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	108
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/consumi




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	108
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	54
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100



E/W	Errors	No. of occurrences
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	38
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	38	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	54
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	54
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	38
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/variazione-da



E/W	Errors	No. of occurrences	
	PERCEIVABLE		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	217	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105	




E/W	Errors	No. of occurrences
OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	8
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	8
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/variazione-da



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
	COLOR		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5	
CONTENT			
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	217	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105	
FORM			
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	8	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	8	
HTML			
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
	IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13	
LINK			
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50	
RESPONSIVE			
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/variazione-da




E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	217	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	8	



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	8
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/contatori-smar



E/W	Errors	No. of occurrences	
	PERCEIVABLE		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	119	




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/contatori-smar



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	119
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/contatori-smar



E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	119
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/come-leggere-



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	210
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/come-leggere-



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	210
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/come-leggere-



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	210	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/quando-viacqu



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	З
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/quando-viacqu




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/quando-viacqu




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/autolettura




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	109



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/autolettura




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	109
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/consumi-e-contatori/autolettura




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	109
	HTML	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/qualita-dell-acqua/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
E	SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	2
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	204
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	103
	UNDERSTANDABLE	
Е	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	ROBUST	
Е	SC 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	2
Е	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/qualita-dell-acqua/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	204
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	103
	FORM	
Е	SC 1.1.1 - 1.3.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	2
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
Е	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/qualita-dell-acqua/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	204
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	103
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.1.1 - 1.3.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used	2
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1




E/W	Errors	No. of occurrences
Е	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	52
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	8
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	8
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
FORM		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	8
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	8
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	52
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	52
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	8



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	8
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/sostanze-perfluoroalchili



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	34
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/sostanze-perfluoroalchili



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	34
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/sostanze-perfluoroalchili




E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	34
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/informazioni-e-reclami/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/informazioni-e-reclami/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/informazioni-e-reclami/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/modulistica/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	78
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	218
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	39
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2




E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	52
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/modulistica/



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	52
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	218
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	39
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	78
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/modulistica/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	218
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	78
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	52
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	39
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/mappa-delle-fontanelle-



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	ROBUST	
Е	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/mappa-delle-fontanelle-



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/mappa-delle-fontanelle-



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/approvvigionamento-idri



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	53
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	213
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	111




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/approvvigionamento-idri



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	213
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	111
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	53
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGES EVALUATION

PAGE URL: https://www.viacqua.it/it/clienti/acquedotto/approvvigionamento-idri




E/W	Errors	No. of occurrences
	STYLE	
Ш	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	213
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	111
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	53
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	55
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	210
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	11
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	11
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	210
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	11
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	11
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	55
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	210
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	55
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	11



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	11
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/sportelli-e-sedi/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	61
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	8
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	22
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	219
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	9
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	167
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	125
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/sportelli-e-sedi/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	125
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	22
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	219
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	167
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	8
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	8
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	12
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	61
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	9





PAGE URL: https://www.viacqua.it/it/clienti/sportelli-e-sedi/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	8	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	22	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	219	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	9	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	167	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	61	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	12	




E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	8
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	125
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/contatti/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/contatti/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/contatti/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	50
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/informazioni-e-reclami/denuncia-sir



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	61
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	66
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	11
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	61
Е	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	90
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2

E/W	Errors	No. of occurrences	
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	360	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107	
	UNDERSTANDABLE		
Е	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	90	
	OPERABLE		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	65	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	65	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	188	
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11	
	ROBUST		
Е	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	90	
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	






E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.viacqua.it/it/clienti/informazioni-e-reclami/denuncia-sir



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	188
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11	
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1	
	COLOR		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	360	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107	
	FORM		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	61	
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	66	
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	61	
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	90	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	65	
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	65	
	HTML		
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	11	
	IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2	






E/W	Errors	No. of occurrences
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/informazioni-e-reclami/denuncia-sir



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	61
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	360
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	66




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	11
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	61
Е	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	90
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	65
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	65
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	188
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-bolletta



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	223
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	104




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-bolletta



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	223
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	104
	FORM	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-bolletta




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	223
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	104
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	54
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100



E/W	Errors	No. of occurrences
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	38
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	38
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	54
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	209
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	HTML	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	54
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	10



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	38
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/sportello-web1



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/sportello-web1




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/sportello-web1




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	22
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	40
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	340
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	17
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15



E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	148
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	157
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14







E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	157
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	40
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	340
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	148
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	22
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	17
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7








E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	40
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	340
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	148
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7



E/W	Errors	No. of occurrences
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	22
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	157
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	17
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	22
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	40
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	340
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	17
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15



E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	148
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	157
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14







E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	157
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	40
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	340
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	148
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	22
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	17
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7








E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	40
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	340
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	148
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7



E/W	Errors	No. of occurrences
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	22
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	9
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	157
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	17
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	15








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	249
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	127
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6








E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	249
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	127
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1






E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	249
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	127
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	263
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	138
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6








E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	263
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	138
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1





E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	263
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	138
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/immobile-nor



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	219
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	117
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/immobile-normality




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	219
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	117
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
	RESPONSIVE	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/immobile-normality



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	219
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	117
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/prima-attivaz



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	220
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	114
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/prima-attivaz




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	220
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	114
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/prima-attivaz



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	220
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	114
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/cessazione-de



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	218
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	115
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/cessazione-de




E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	218
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	115
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
	RESPONSIVE	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGE URL: https://www.viacqua.it/it/clienti/contratti-cambio-casa/cessazione-de



E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	218
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	115
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-tariffa



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	258
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	115




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	47
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-tariffa




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	47
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	258
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	115
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-tariffa



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	258
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	115
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	62
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	47
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-nuova-bo



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	З
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-nuova-bo



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/la-nuova-bo




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/prescrizione-



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/prescrizione-



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGES EVALUATION

PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/prescrizione-



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/come-gestir



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	121




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/come-gestir



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	121
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGES EVALUATION

PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/come-gestir




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	121
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/bonus-idrico



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	109




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/bonus-idrico



E/W	Errors	No. of occurrences
	ARIA	
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	109
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/bonus-idrico




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	109
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	36
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/sai-cosa-c-o



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/sai-cosa-c-o



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGES EVALUATION

PAGE URL: https://www.viacqua.it/it/clienti/la-bolletta-e-la-tariffa/sai-cosa-c-o




E/W	Errors	No. of occurrences	
	STYLE		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	107	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/carta-dei-servi



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/carta-dei-servi



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/carta-dei-servi



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/regolamento/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/regolamento/




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/regolamento/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/glossario/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/glossario/




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/glossario/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	40
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	40
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	211
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	40
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/livelli-di-qualit



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	11
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2




E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	112
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/livelli-di-qualit




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	11
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	112
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/livelli-di-qualit



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	11
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	112
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	56
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	39
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/listino-prezzi/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/listino-prezzi/




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/listino-prezzi/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/privacy/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	143
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/privacy/




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	143
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/privacy/



E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	143
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	6




E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	6
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/allacciame



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	51
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	110




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/allacciame




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	110
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	51
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/allacciame




E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	110
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	51
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	33
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	53
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	37
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	37
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	53
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	100
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	53
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	37
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/soddisfazione-u




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/soddisfazione-u




E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/soddisfazione-u




E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	205
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	102
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4



E/W	Errors	No. of occurrences
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	31
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/conciliazione/




E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101



E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/conciliazione/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	




E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/patto-con-gli-utenti/conciliazione/



E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	HTML	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/scarichi-in

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	223
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	41
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/scarichi-in

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	41
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6




E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
	COLOR		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	223	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105	
	FORM		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
	HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
	IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11	
LINK			
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49	
RESPONSIVE			
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	



PAGES EVALUATION

PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/scarichi-in



E/W	Errors	No. of occurrences
	STYLE	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	223
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	105
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	41
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/depurazion

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101




E/W	Errors	No. of occurrences
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/depurazion

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101
	FORM	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
	IMG	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/depurazion



E/W	Errors	No. of occurrences	
	STYLE		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	101	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	48	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	




E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	30
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/estensione

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences	
	PERCEIVABLE		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106	




E/W	Errors	No. of occurrences	
	OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32	
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
ROBUST			
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	





PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/estensione

ERRORS GROUPED BY CATEGORIES




E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences		
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10		
	COLOR			
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4		
	CONTENT			
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208		
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106		
FORM				
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4		
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4		
	HTML			
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1		
	IMG			
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10		
LINK				
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49		
RESPONSIVE				
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2		



PAGE URL: https://www.viacqua.it/it/clienti/fognatura-e-depurazione/estensione



E/W	Errors	No. of occurrences	
	STYLE		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	4	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	208	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	2	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	106	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	49	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	4	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	



E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10

HIIS LAB @ ISTI-CNR

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1 56124 Pisa Italy Room: Building B - Entrance 17 - II Floor

http://hiis.isti.cnr.it/lab/home